

WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band



**PEWCA1005** 

# Waveguide to Coax Adapters Technical Data Sheet

# Features • M Band • Standard Square Cover Flange • 10 to 15 GHz Frequency Range • N Female RF Interface • WR-75 Waveguide Interface • N Female RF Interface Applications • Satellite • Military and Space • Radar • Microwave Radio Systems • Communication Systems

# Description

The PEWCA1005 is a waveguide to coaxial adapter operating in the M Band with a 10 to 15 GHz frequency range. This adapter offers a WR-75 waveguide interface size using a standard Square Cover Flange. The PEWCA1005 is constructed of Copper Alloy and painted to ensure durability. The coaxial connector offered by this adapter uses a N Female Nickel Plated Brass Connector.

#### Configuration

Waveguide Size Flange RF Connector Impedance Body Geometry WR-75 Square Cover N Female 50 Ohms Right Angle

## **Electrical Specifications**

Description	Minimum	Typical	Maximum	Units
Frequency Range	10		15	GHz
VSWR		1.25:1		

## **Mechanical Specifications**

Weight

# RF Connector

Connector Type Body Material and Plating

## Waveguide Interface

Waveguide Type Flange Type Body Material and Plating 0.313 lbs [141.97 g]

N Female Brass, Nickel

WR-75 Square Cover Copper Alloy, Paint

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band PEWCA1005

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com





**PEWCA1005** 

# WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band

# Waveguide to Coax Adapters Technical Data Sheet

Compliance Certifications (see product page for current document)

#### Plotted and Other Data Notes:

• Values at +25 °C, sea level unless stated otherwise

# Typical Performance Data



WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band PEWCA1005

URL: https://www.pasternack.com/wr-75-square-n-female-waveguide-coax-adapter-15-ghz-pewca1005-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451 **Sales@Pasternack.com** • Techsupport@Pasternack.com

© 2017 Pasternack Enterprises All Rights Reserved



WR-75 Square Cover Flange to N Female Waveguide to Coax Adapter Operating From 10 GHz to 15 GHz, M Band

