


How To Order		Part # Ext.	Length In Inches
<b>Part Number Configuration</b> PE3 <span style="border: 1px solid black; padding: 2px;">zzz</span> <span style="border: 1px solid black; padding: 2px;">yy</span> - <span style="border: 1px solid black; padding: 2px;">xx</span> <span style="border: 1px solid black; padding: 2px;">uu</span> 00 - 99999 LF = Lead Free < Blank > = Standard Note: LF applies only to RF cables CM = Centimeters < Blank > = Inches Length	<b>Examples</b>	-12	12"
	PE3000LF-100	-24	24"
	PE3000-100	-36	36"
	PE3000LF-100CM	-48	48"
	PE3000-100CM	-60	60"
		-xx	Custom Length
<b>Components</b>	<b>Impedance</b>	<b>Part # Ext.</b>	<b>Length In Centimeters</b>
<b>N MALE</b>	50 OHM	-25CM	25Cm
<b>N FEMALE</b>	50 OHM	-50CM	50Cm
<b>PE-C600</b>	50 OHM	-75CM	75Cm
-	-	-100CM	100Cm
		-125CM	125Cm
		-xxCM	Custom Length



**PASTERNACK ENTERPRISES, INC.**  
 P.O BOX 16759, IRVINE, CA 92623  
 PHONE (949) 261-1920 FAX (949) 261-7451  
 WEB ADDRESS: [www.pasternack.com](http://www.pasternack.com)  
 E-MAIL ADDRESS: [sales@pasternack.com](mailto:sales@pasternack.com)  
**COAXIAL & FIBER OPTICS**

<b>DWG TITLE</b>		<b>DES.</b>	
PE37951		CABLE ASSEMBLY, PE-C600, N MALE TO N FEMALE	
<b>REV. C</b>	<b>FSCM NO. 53919</b>	<b>CAD FILE</b> 032912	<b>SCALE</b> N/A
		<b>SIZE</b> A	2233

**NOTES:**  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].  
 4. LENGTH TOLERANCE IS ± 1.5% OR 3/8", WHICHEVER IS GREATER.