

SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size



RF Connectors Technical Data Sheet

PE44012

Configuration

- SMA Female Connector
- •50 Ohms
- Straight Body Geometry

- .018 inch Pin Interface Type
- Field Replaceable Attachment4 Hole Flange

Features

Gold Plated Contact

Applications

- General Purpose Test
- Rack and Panel Mount Applications

Description

Pasternack's PE44012 SMA female 4 hole flange mount field replaceable connector with EMI gasket is part of our full line of RF components available for same-day shipping. This SMA 4 hole flange connector allows designers to create external connections on their product enclosures, and can be used in a variety of other rack mount and panel mount applications. This field replaceable connector is easy to install or replace in the field.

Our SMA female 4 hole flange connector PE44012 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

Mechanical Specifications

Size

 Length
 0.375 in [9.53 mm]

 Width/Dia.
 0.5 in [12.70 mm]

 Height
 0.5 in [12.7 mm]

 Weight
 0.006 lbs [2.72 g]

Material Specifications

Desci	ription	Material	Plating
Contact			Gold
Insulation		PTFE	
Body		Passivated Stainless Steel	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size PE44012

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 Phone: (866) 727-8376 or (949) 261-1920 • Fax: (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com



SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size



RF Connectors Technical Data Sheet

PE44012

Compliance Certifications (see product page for current document)

Plotted and Other Data

Notes:

SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size PE44012

URL: https://www.pasternack.com/sma-female-standard-0.018-pin-connector-pe44012-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Pasternack Enterprises, Inc. • P.O. Box 16759, Irvine, CA 92623 **Phone:** (866) 727-8376 or (949) 261-1920 • **Fax:** (949) 261-7451

Sales@Pasternack.com • Techsupport@Pasternack.com

PE44012 CAD Drawing

SMA Female Field Replaceable Connector With EMI Gasket 4 Hole Flange Mount .018 inch Pin, .500 inch Flange Size

