



QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal

TECHNICAL DATA SHEET

PE44610

QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal

Configuration

Connector	QN Female
Connector Interface Type	Solder Cup
Cable Attachment Method (Shield/Contact)	Solder
Body Style	Straight
Mount Method	4 Hole Flange

Electrical Specifications

Frequency Range, GHz	DC to 11
Impedance, Ohms	50
Maximum Insertion Loss, dB	0.17
Maximum Operating Voltage, Volts	1,000
Dielectric Withstanding Voltage, Vrms	2,500

Frequency 1

Frequency, GHz	DC to 2.5
Return Loss, dB	30
Insertion Loss, dB	0.08
Power Handling, Watts	300

Frequency 2

Frequency, GHz	2.5 to 4
Return Loss, dB	26
Insertion Loss, dB	0.1

Frequency 3

Frequency, GHz	4 to 6
Return Loss, dB	20
Insertion Loss, dB	1.2

Mechanical Specifications

Temperature

Operating Range, deg C	-40 to +125
------------------------	-------------

Size

Length, in [mm]	0.98 [24.89]
Width/Dia., in [mm]	0.69 [17.53]
Height, in [mm]	0.69 [17.53]
Weight, lbs [g]	0.055 [24.95]

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal PE44610](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal

TECHNICAL DATA SHEET

PE44610

Connector

Type	QN Female
Mating Cycles	100
Contact Material and Plating	Brass, Gold
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant	Yes
----------------	-----

Plotted and Other Data

Notes:	Values at 25 °C, sea level
--------	----------------------------

QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal PE44610](http://www.pasternack.com/qn-female-standard-solder-cup-terminal-connector-pe44610-p.aspx)

URL: <http://www.pasternack.com/qn-female-standard-solder-cup-terminal-connector-pe44610-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

PE44610 CAD Drawing

QN Female Connector Solder Attachment 4 Hole Flange Solder Cup Terminal



NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE	FSCM NO. 53919	CAD FILE	061108	SCALE	N/A	SIZE	A	XXX
PE44610								



PASTERNAK®
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com