

N Female Shorting Dust Cap



PE6031

Features

- · Protects against dust and contaminants
- · Protects against physical damage

Applications

- · General Purpose Laboratory Use
- · Test and Measurement

- · Nickel Plated Body
- Internally Shorted
- · ESD Protection

Description

Pasternack's PE6031 RF connector dust cap has an N interface and a female gender. Our N female dust cap is a shorting design with a nickel plated body to ensure durability. The Pasternack shorting N connector cap is part of over 40,000 RF, microwave and millimeter wave products that ship the same day.

RF connector dust caps are essential for precision connectors, protecting them from dust, corrosion and potential damage especially to test and measurement equipment. Specific RF connector cap models come with a chain to prevent loss or misplacement. Internal short connector cap versions are available to protect equipment from a spike in current caused by electrostatic discharge (ESD).

Mechanical Specifications

Configuration

ConnectorN Female ShortingChain OptionNo ChainMating Cycles500 Cycles

Description	Material	Plating
Contact	Beryllium Copper	Silver
Body	Brass	Nickel
Size		
Length	0.69 in [17.53 mm]	
Width	0.67 in [17.02 mm]	
Height	0.67 in [17.02 mm]	
Weight	0.049 lbs [22.23 g]	

Environmental Specifications

Temperature

Operating Range -65 to +165 deg C



N Female Shorting Dust Cap



PE6031

Compliance Certifications (see product page for current document)

N Female Shorting Dust Cap from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: N Female Shorting Dust Cap PE6031

URL: https://www.pasternack.com/50-ohm-n-female-short-cap-pe6031-p.aspx

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. Pasternack Enterprises reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. <u>Pasternack Enterprises does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack Enterprises does not assume liability arising out of the use of any part or document.</u>

