



Banana Plug to Banana Plug Cable 72 Inch
Length Using Red Wire Coax, RoHS

TECHNICAL DATA SHEET

PE99W000/RD-72

Configuration

Connector 1
Connector 2
Cable Type

Banana Plug
Banana Plug
RD18AWGWIRE

Electrical Specifications

Mechanical Specifications

Cable Assembly

Cable Type

RD18AWGWIRE

Size

Length, in [cm]
Diameter, in [mm]
Cable Color

72 [182.88]
0.61 [15.49]
Red

Cable

Jacket Material

Rubber

Connector 1

Type
Configuration

Banana Plug
Straight

Connector 2

Type
Configuration

Banana Plug
Straight

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Banana Plug Cable 72 Inch Length Using Red Wire Coax, RoHS PE99W000/RD-72](#)



Banana Plug to Banana Plug Cable 72 Inch
Length Using Red Wire Coax, RoHS

TECHNICAL DATA SHEET

PE99W000/RD-72

Plotted and Other Data

Notes:

- Values at +25 °C, sea level


Banana Plug to Banana Plug Cable 72 Inch Length Using Red Wire Coax, RoHS from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Banana Plug Cable 72 Inch Length Using Red Wire Coax, RoHS PE99W000/RD-72](http://www.pasternack.com/banana-plug-banana-plug-red-wire-cable-assembly-pe99w000-rd-72-p.aspx)

URL: <http://www.pasternack.com/banana-plug-banana-plug-red-wire-cable-assembly-pe99w000-rd-72-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

Banana Plug to Banana Plug Cable 72 Inch Length Using Red Wire Coax, RoHS



How To Order				Part # Ext.	Length In Inches	Part # Ext.	Length In Centimeters
Part Number Configuration PE3zzzzz YY - xx uu LF = RoHS Compliant < Blank > = Standard CM = Centimeters < Blank > = Inches Note: LF applies only to RF cables. Note: LF applies only to RF cables.				Examples			
PE3000LF-100				-12	12"	-25CM	25Cm
PE3000-100				-24	24"	-50CM	50Cm
PE3000LF-100CM				-36	36"	-75CM	75Cm
PE3000-100CM				-48	48"	-100CM	100Cm
				-60	60"	-125CM	125Cm
Length				-xx	Custom Length	-xxCM	Custom Length

NOTES:

1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm]
4. LENGTH TOLERANCE IS $\pm 1.5\%$ OR $3/8"$, WHICHEVER IS GREATER.

DWG TITLE
PE99W000/RD

DWG TITLE

PE PASTERNAK®
THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com

FSCM NO. 53919

SIZE A

150