



Banana Plug to Alligator Clip Cable 24 Inch  
Length Using Black Wire Coax

TECHNICAL DATA SHEET

PE99W001/BK-24

**Configuration**

|             |                |
|-------------|----------------|
| Connector 1 | Banana Plug    |
| Connector 2 | Alligator Clip |
| Cable Type  | BK18AWGWIRE    |

**Electrical Specifications**

**Mechanical Specifications**

**Cable Assembly**

|            |             |
|------------|-------------|
| Cable Type | BK18AWGWIRE |
|------------|-------------|

**Size**

|                   |              |
|-------------------|--------------|
| Length, in [mm]   | 24 [609.6]   |
| Diameter, in [mm] | 0.15 [3.81]  |
| Weight, lbs [g]   | 0.4 [181.44] |
| Cable Color       | Black        |

**Cable**

|                          |             |
|--------------------------|-------------|
| Jacket Material          | Rubber      |
| Jacket Diameter, in [mm] | 0.15 [3.81] |

**Connector 1**

|               |             |
|---------------|-------------|
| Type          | Banana Plug |
| Configuration | Straight    |

**Connector 2**

|               |                |
|---------------|----------------|
| Type          | Alligator Clip |
| Configuration | Straight       |

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Alligator Clip Cable 24 Inch Length Using Black Wire Coax PE99W001/BK-24](#)



Banana Plug to Alligator Clip Cable 24 Inch  
Length Using Black Wire Coax

TECHNICAL DATA SHEET

PE99W001/BK-24

**Plotted and Other Data**

Notes:

- Values at +25 °C, sea level

Banana Plug to Alligator Clip Cable 24 Inch Length Using Black Wire Coax from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Alligator Clip Cable 24 Inch Length Using Black Wire Coax PE99W001/BK-24](http://www.pasternack.com/banana-plug-alligator-clip-black-wire-cable-assembly-pe99w001-bk-24-p.aspx)

URL: <http://www.pasternack.com/banana-plug-alligator-clip-black-wire-cable-assembly-pe99w001-bk-24-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE99W001/BK-24 CAD Drawing

Banana Plug to Alligator Clip Cable 24 Inch Length Using Black Wire Coax



| How To Order                                |                                        |                |               | Part # Ext. | Length In Inches | Part # Ext. | Length In Centimeters |
|---------------------------------------------|----------------------------------------|----------------|---------------|-------------|------------------|-------------|-----------------------|
| Part Number Configuration                   |                                        | Examples       |               | -12         | 12"              | -25CM       | 25Cm                  |
| PE3zzzzz                                    | YV - XX UU                             | PE3000LF-100   |               | -24         | 24"              | -50CM       | 50Cm                  |
| LF = RoHS Compliant<br>< Blank > = Standard | CM = Centimeters<br>< Blank > = Inches | PE3000-100     |               | -36         | 36"              | -75CM       | 75Cm                  |
|                                             |                                        | PE3000LF-100CM |               | -48         | 48"              | -100CM      | 100Cm                 |
|                                             |                                        | PE3000-100CM   |               | -60         | 60"              | -125CM      | 125Cm                 |
| Note: LF applies only to RF cables          |                                        | -xx            | Custom Length | -xxCM       | Custom Length    |             |                       |

**PE PASTERNAK®**  
THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: [www.pasternack.com](http://www.pasternack.com) | E-Mail: [sales@pasternack.com](mailto:sales@pasternack.com)

DWG TITLE

**PE99W001/BK**

NOTES:

1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].
4. LENGTH TOLERANCE IS ± 1.5% OR 3/8", WHICHEVER IS GREATER.

FSCM NO. 53919

CAD FILE 091714

SCALE N/A

SIZE A

150