



Banana Plug to Alligator Clip Cable 60 Inch
Length Using Black Wire Coax

TECHNICAL DATA SHEET

PE99W001/BK-60

Configuration

Connector 1	Banana Plug
Connector 2	Alligator Clip
Cable Type	BK18AWGWIRE

Electrical Specifications

Mechanical Specifications

Cable Assembly

Cable Type	BK18AWGWIRE
------------	-------------

Size

Length, in [cm]	60 [152.4]
Diameter, in [mm]	0.61 [15.49]
Cable Color	Black

Cable

Jacket Material	Rubber
Jacket Diameter, in [mm]	0.15 [3.81]

Connector 1

Type	Banana Plug
Configuration	Straight

Connector 2

Type	Alligator Clip
Configuration	Straight

Compliance Certifications (visit www.Pasternack.com for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Alligator Clip Cable 60 Inch Length Using Black Wire Coax PE99W001/BK-60](#)



Banana Plug to Alligator Clip Cable 60 Inch
Length Using Black Wire Coax

TECHNICAL DATA SHEET

PE99W001/BK-60

Plotted and Other Data

Notes:

- Values at +25 °C, sea level

Banana Plug to Alligator Clip Cable 60 Inch Length Using Black Wire Coax from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Banana Plug to Alligator Clip Cable 60 Inch Length Using Black Wire Coax PE99W001/BK-60](http://www.pasternack.com/banana-plug-alligator-clip-black-wire-cable-assembly-pe99w001-bk-60-p.aspx)

URL: <http://www.pasternack.com/banana-plug-alligator-clip-black-wire-cable-assembly-pe99w001-bk-60-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

PE99W001/BK-60 CAD Drawing

Banana Plug to Alligator Clip Cable 60 Inch Length Using Black Wire Coax



How To Order				Part # Ext.	Length In Inches	Part # Ext.	Length In Centimeters
Part Number Configuration PE3zzzzz YY - xx uu LF = RoHS Compliant < Blank > = Standard Note: LF applies only to RF cables		Examples PE3000LF-100 PE3000-100 PE3000LF-100CM PE3000-100CM CM = Centimeters < Blank > = Inches Length		-12	12"	-25CM	25Cm
				-24	24"	-50CM	50Cm
				-36	36"	-75CM	75Cm
				-48	48"	-100CM	100Cm
				-60	60"	-125CM	125Cm
				-xx	Custom Length	-xxCM	Custom Length

PE PASTERNAK®
THE ENGINEER'S RF SOURCE
Pasternack Enterprises, Inc.
P.O. Box 16759 | Irvine | CA | 92623
Phone: (949) 261-1920 | Fax: (949) 261-7451
Website: www.pasternack.com | E-Mail: sales@pasternack.com

DWG TITLE
PE99W001/BK

NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.
3. DIMENSIONS ARE IN INCHES [mm].
4. LENGTH TOLERANCE IS ± 1.5% OR 3/8", WHICHEVER IS GREATER.

FSCM NO. 53919

CAD FILE 091714

SCALE N/A

SIZE A

150